

# Developing a societal acceptable remedial action plan for an important PFAS hotspot in Flanders: challenges and lessons learned?

Presented by: Dirk Nuyens, Senior Partner ERM October 21<sup>st</sup>, 2022



© Copyright 2022 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved. No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.



#### Content

- The 'Project'
- 2. Developing a societal acceptable remedial action plan
- 3. Lessons learned to date
- 4. Q&A







The 'Project'

# The 'Project'

- PFAS manufacturing plant situated in the Antwerp harbour cluster, a major mobility infrastructure project called 'Oosterweel' underway in its direct vicinity;
- Historical C8-PFAS production (mainly PFOS) thru Electrofluorination (ECF) process, stopped in 2002;
- Onsite remediation ongoing since 2010 thru pump & treat, after the completion of the regulatory site investigation studies and remedial action plan, approved by the environmental agencies;
- Recent new scientific insights and stakeholder observations made generated a catalyst effect pushing for new offsite sampling and risk assessment with a initial focus on human health;
- The 'project' went thru a media and political storm in the last 18 months; and
- Within this complex and rapidly evolving context a 1<sup>st</sup> offsite remedial action plan (RAP) upon completion of a descriptive site investigation (DSI, done within 6 months), addressing the (potential) human risk via soil, has been developed for the area of concern with the highest priority.






www.erm.com ENSOr Presentation 25/10/2022


# Key findings of the initial offsite DSI - soil (including human health risk assessment or HHRA)






www.erm.com ENSOr Presentation

# **PFOS** distribution topsoil




PFAS distribution

# Need for an integrated holistic PFAS approach needed



**ENSOr Presentation** 

# RAP zoning (zones 1A & B, and 2)



www.erm.com

Developing a societal acceptable remedial action plan

# Challenges to overcome

- Evolving policy & regulatory framework
- 2. Biomonitoring results (blood serum) had to be integrated
- 3. EFSA opinion 2020
- 4. Human risk mainly driven by consumption of free-range chicken eggs
- Extremely short RAP development time imposed <6 months</li>
- 6. Remedial works will be intrusive for the involved people
- 7. Many stakeholders involved with different interests











www.erm.com ENSOr Presentation 25/10/2022 10

# Seeking societal approval: What the stakeholders were saying when starting the RAP development


We want a more sustainable environment for our children


PFAS exposure should be minimized as much as possible

Integrated plan needed covering manufacturing plant and its surroundings within regulations Synergies should be developed with Oosterweel,project

The reference frameworks need to be revisited based on the actual knowledge

Compensation for property value loss and business impacts





## Final Proposed Remedial Plan – main actions

(currently subject to approval process)

- 1. 70 cm soil exchange residential/agricultural area;
- Treatment/disposal of the excavated PFAS containing soils;
- Backfill with good quality soils, fertile top layer;
- 4. Restoration of the residential gardens; and
- Anticipated duration of the works 3 to 4 yrs, subject to backfill material/treatment capacity and agreements with the property owners.



www.erm.com ENSOr Presentation 25/10/2022 1

Lessons learned to date

## Co-creation is the only way to go












## The PFAS problem is far more complex!



Source website PFAS verkenner

- Widespread use of AFFF and other PFAS containing products & applications
- Comingling of PFAS sources
- Background elevation

www.erm.com ENSOr Presentation 25/10/2022 15

**Questions & Answers** 



**Dirk Nuyens, PhD. Sc.** Senior Partner

dirk.nuyens@erm.com
Antwerp/Brussels, Belgium

Thank you

